#### Annual Drinking Water Quality Report South Newton Rural Water Association #4 PWS ID # 0510022 June, 2010

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source consists of one well that draws from the Sparta Sand Aqufer.

A source water assessment has been completed for the water supply to determine the overall susceptibility of its drinking water to identify potential sources of contamination. A report containing detailed information has been received by our office and will be made available for review upon request. The water supply for South Newton Rural W/A #4 received a low susceptibility ranking to contamination.

We're pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Wayne Clanton at 601-917-4978. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Thursday of each month at the South Newton Rural W/A office at 5:00 p.m.

South Newton Rural W/A #4 routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2009. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

	,			TEST R	ESULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic (	Contami	nants						
8. Arsenic	N	2006*	0.5	No Range	Ppb	n/a	50	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2006*	0.018	No Range	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2005*	0.4	None	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
15. Cyanide	N	2006*	5	No Range	ppb	200	200	Discharge from steel/metal factories; discharge from plastic and fertilizer factories
16. Fluoride	N	2006*	0.9	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2005*	3	None	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2006*	0.5	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfecta	nts & Di	isinfectio	on By-P	roducts				
Chlorine (as Cl2)	N		0.73 to 0.81	None	ppm	4	4	Water additive used to control microbes
73. TTHM [Total trihalo-methanes]	N		8.85	None	ppb	0	80	By-product of drinking water chlorination

<sup>\*</sup>Most recent sample results available

#### **Additional Information for Lead**

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. South Newton Rural W/A #2 is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Please call our office if you have questions.

### Annual Drinking Water Quality Report South Newton Rural Water Association #4 PWS ID# 0510022 - June, 2019

Wa're pleased to present to you this year's Arumal Water Quality Report. This report is designed to inform you about the quality water and services we deline to you every day. Out constant goal to the relief to you with a sale and dependable supply of divising water. We want you to understand the efforts we make to continually improve the water treatment process and proced our water to continue to the process of process of the process of the process of process of the process of the process of process of process of the process of process of

A source vicine assessment has been complete to the his work as the control of the coveral sacceptability of its drinking water to identify control source of contamination. A report containing detailed information has been received by our office and will be made available for menor upon request. The water supply for the Sewitzen William William Sewitzen Sewitze

We're pleased to report that our drinking water meets all federal and state requirements.

in this table you will find many terms and abbrevious you might not be familiar with. To help you better understand these terms we've provided the collections refinitions:

following definitions:
Action Lavel - the concentration of a contaminant which, if accessed triggers treatment or other requirements which a water system must follow. Treatment Technique (TT) - A treatment technique is a required process intended to reduce the limited of accessminant in drinking water.

if you have any questions about this report of concerning your water utility, please conflict Woyne Clanton at 601-917-4978. We want our valued customers to be informed about stell varied utility. If you want to learn more, please utility, if you want to learn more, please utility of our regularly scheduled meetings thand any of our regularly scheduled meetings. They are hald on the second Turnsky of learning than the second Turnsky of learning that the second Turnsky of learning than the second Turnsky of learning that the second Turnsky of learning than the second Turnsky of learning than the second Turnsky of learning that the seco

Maximum Contaminant Level- The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLs as feasible using the best which is resument technology.

Maximum Contaminant Level Goal - The Goal (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin

100000	X 25 3 4	0.00		TEST RI			2000	Libriy Source of Contemposition
Contractuals	Victoria V/N	Des Callected	Lévi Duoisid	Rates of Descript of Samples Bactering. HICL/ACL	Mestacaca:	300	MCT	
norganic (	ontami	ants	1011111		rec	TOTAL ST	77.7	Discharge of driking wantes; discharg
O Barius		20061	0.04	No Rasge	Jan.			from metal refinerios, prosess or
100	N	2006*	1000	No Range	h≠	100	/ 100	Discharge from such and pulp mills, ecoson of natural deposits
3, Chorocounts	N N	2006*	1 5	No Resign	ppb	200	200	Discharge from Monthestal Monthest discharge from plantic and feroluna
is. Cyackia					1	39003	100	factories
16 Reofide	<b>1</b> * *	3000	0.1	No Rungs	poss.		H	additive which promoces arrong tent discharge from fertilizer and simula- factories
7.00			100	No Range	i peb	- 50	**	
21. Selenjum	H	3006*	0.5					discharge from paper
Disinfecto	1. 2 7	lisinfect	lon By-	Products		213333		L Water additive used to control
Chlorine (M.)	T 8	T	0.7610	6 300 7 90 Page 60	ppe		0 8	O By erodost of drinking water
C03 73.TTHM	T N	2007*		Hoos	) Mp			chlorication
Total utbalo methodal	4 982		2.84	Note	pph .		0 6	O By-product of drinking which chloriansies
HAAS		3000.		A CONTRACTOR	15 4 FC 65 CO SC A	100 September 1	1	- Charles

•Most recent sample results available

Additional Information for Lead if present, deviated levels of lead can cause serious motifying processing specially for pregnant women said young distless, leads in finding waters by remark from levels, leads in formating waters by remark from levels and components associated with service waters, and from plumbing. South Horston Burd Wild, #/4 is responsible for providing high quality with the strong control waters of materials used in plumbing components When you water has been stitling for several providing the providing that the potential for real control for Missing your up for 30 seconds or the providing water has the potential for real control for Missing your up for 30 seconds or the providing water has the potential for the sources of the Missing your up for 30 seconds or the second water water water water water provides the providing water part of the second provides the providing water part of providing water providing water part of providing water providing water

All sources of drivining vester are subject to potensal contravisation by substances that are neutrally contravisation and the second substances can be neutrally interprated or organic chemicals and neutrally programs or organic chemicals and radioactives substances. All drivining waters, including footied water, may reasonably be expected to contain as least small amounts of some does no marts. The presence of Contravity possible shades from the contravity of the contravity

Some people may be more vulnerable to contain

minutes before using water for drinking or cooking I you are concerned about lead in your weatrous may with to have your water testedinformation on lead in drinking water, setting methods, and steps your can take to maintain exposure is waitable from the Set Derborren Feat Houlte or as http://www.sets.ed. Derborren Feat The Histories State Department of Health Public Health Laboratory and the Setting of \$10 per setting for \$10 per setti

Inants in drinking water than the general population. Immunescompromised persons such a pases with cancer undergoing measurements and a soft with have such as the measurement of the soft with Java March and the measurement of the properties of the measurement of the measurement of the land of the measurement of the measurement of the land of the measurement of the measurement of the measurement of the care providers. EPA/CDC guidelines on appropria are meant to lessen then the official comments are available for measurement of the meas

Environmental Protection Agency's Sale Hodine (800-426-479). Hodine (800-426-479). Please call our office if you have qu

ACCOUNT NO. SERVICE FROM SERVICE TO אראוואואוואארצע אוארנאער אר SERVICE ADDRESS NEW IRELAND RUPE CURRENT L PREVIOUS USED 750700 742100 8600 CHARGE FOR SERVICES WTR 45.05. MET DUE >>> 45.05 SAVE THIS >> 4.51 GROSS DUE >> 49.56

RETURN THIS STUB WITH PAYMENT TO:

## SOUTH NEWTON RURAL WATER ASSOC. P.O. BOX 82 • NEWTON, MS 39345

PRESORTED FIRST-CLASS MAIL U.S. POSTAGE PAID PERMIT NO. 44 NEWTON, MS

		PERMIT NO. 44
PAY NET AMOUNT		NEWTON, MS
ON OR BEFORE	DIUE DAVIE	PAY GROSS
DUE DATE	06/29/201W	AMOUNT AFTER
NET AMOUNT		DUE DATE
45. ØS	SAVE THIS	GROSS AMOUNT
1 200 10 1971 6-7	4.51	
		49.56

COPY OF CONSUMER CONFIDENCE REPORT AVAILABLE IN OFFICE

# RETURN SERVICE REQUESTED

03-0001000 CHRIS CRAVEN